

YUASA TRADING BUILDING MATERIALS

PRODUCT INDEX

■ ALUMINIUM CARPORT & TERRACE



■ WALL PAINTING



■ ARCHITECTURAL DECORATION



■ WATER DISASTER PREVENTION



■ GARAGE



■ PAVEMENT DESIGN



■ INTERIOR PARTATION



■ OUTSIDE STORAGE / SHED



■ FENCE



■ WINDOW BLIND



■ COMMON TRASH BOX



■ GATE



■ ALUMINIUM SHELTER



■ DELIVERY BOX



■ BICYCLE STORAGE



■ DESIGN FURNITURE



YUASA TRADING (THAILAND) CO., LTD.

Hiroshi SAKURANO

2227hs@yuasa.co.jp

Aluminum Carports will protect your favorite cars from rain and UV, And change your life more openly and comfortably.

We have been selling sophisticated aluminum carports for years and received a high evaluation not only in Japan but worldwide. It's growing dramatically.

Strong points

- Stylish design
- Rust resistance
- Easy to install
- Recyclable material








My Port7(Seven) Wide Type: M7JB-K5759BK

Body: Aluminium

Roof: Polycarbonate plate



Color variations:



YUASA TRADING (THAILAND) CO., LTD.

Hiroshi SAKURANO

2227hs@yuasa.co.jp

Unit:mm






My Port7(Seven) 1 car Type: M7JB-K2759BK




Body: Aluminium

Roof: Polycarbonate plate



Color variations:




YUASA TRADING (THAILAND) CO., LTD.

Hiroshi SAKURANO

2227hs@yuasa.co.jp


Unit:mm

My Port7(Seven) Installation flow




My Port7(Seven) Installation flow

8 Installation of Girder Cover




9 Installation of Roofing


10 Installation of Front Frame Corner Cap




11 Installation of Edge Cover




12 Installation of Dress-up Panel•Post
Screw Cover•Rainspout Cover Base



13 Installation of Rainwater Pipe



14 Installation of Rainspout Cover









My Port Next Wide Type: NXTR-K5660BK



Body: Aluminium Roof: Polycarbonate plate

Color variations:



Unit:mm



YUASA TRADING (THAILAND) CO., LTD.

Hiroshi SAKURANO

2227hs@yuasa.co.jp

F rouge twin EX FIRST





Body: Aluminium

Roof: Polycarbonate plate

Color variations:

B1	B7	H2	S1
ブラウン	カーンブラック	ブラチナステン	ビュアシルバー



Unit:mm




YUASA TRADING (THAILAND) CO., LTD.

Hiroshi SAKURANO

2227hs@yuasa.co.jp

F rouge twin EX FIRST Size variations



F rouge FIRST 600N (51-27)


Reasonable model



Body: Aluminium

Roof: Polycarbonate plate

Color variations:



We have other sizes (2120/2920)
besides 2475mm.

Unit:mm

F rouge FIRST BIG TERRACE




Body: Aluminium

Roof: Polycarbonate plate



It has Gutters and Cap so that it's easy to clean and prevent water leaking.








Color variations:










For your Carport or Garden Terrace.

In Japan, it's fixed to the RC wall using Steel Anchor. Required Anchor will be chosen by installer decision considering wall conditions and strength.

F roudge FIRST BIG TERACE Size variations

		D(mm)		
		5.098	5.398	5.988
				
L3011 & H2800(mm)		<p>Wall mounting type</p>  <p>House wall</p> <p>3011mm 3511mm 3911mm</p> <p>5098mm 5398mm 5988mm</p>		
L3511 & H2800(mm)				
L3911 & H2800(mm)				

F rouge FIRST BIG TERACE Size variations

		D(mm)		
		5.098	5.398	5.988
				
L2997 & H2800(mm)		 <p>Independent pillar type</p> <p>2997mm 3497mm 3897mm</p> <p>5098mm 5398mm 5988mm</p>		
L3497 & H2800(mm)				
L3897 & H2800(mm)				

Terrace RESEPA for your Garden space or Extension Kitchen space



It's connected on the house wall.



It has Gutters and Cap so that it's easy to clean and prevent water leaking.



Color variations:

B1
ブラウン










B7
カームブラック

H2
プラチナステン

S1
ヒュアシルバー

We have T pillar type also.

F rouge FIRST RESEPA Size Variations

		L(mm)			
		2188	2904	3620	4336
					
L1199 & D2500(mm)		 <p>1199mm 1499mm 1799mm 2118mm</p> <p>2188mm 2904mm 3620mm 4336mm</p> <p>House wall</p>			
L1499 & D2500(mm)					
L1799 & D2500(mm)					
L2118 & D2500(mm)					

Terrace ALEGRIA



For your Garden space or Extension Kitchen space, Wood pattern design must fit your garden more naturally.




Color variations:

CH	SB	MB	LB	HK
チャコール (特注)	セピアブラウン	マロンブラウン	ライトブラウン	ヒノキ (特注)

Body: Laminating Aluminium Roof: Polycarbonate plate

You can change the pillar position fitting the situation.

Terrace ALEGRIA Size



F. Lead CUBE TYPE TERRACE SET



For your Garden space,
It must offer more comfortable
and freer outside living space.
You can enjoy your active life.


You can select from two types.

Terrace only plan

or

The terrace with Wood deck plan

You can fold up door panel compactly.



Side: near side

Front side:
Right or Left side

Body: Aluminium

Roof: Polycarbonate plate (t=1.6mm)

Panels: Float Glass (t=3mm)


Color variations:

本体(木調カラー)				
CH	SB	MB	LB	HK
チャコール (特注)	セピアブラウン	マロンブラウン	ライトブラウン	ヒノキ (特注)

F. Lead CUBE TYPE TERRACE and WOOD DECK Size Variations


Terrace sizes

2140(mm) / 2443(mm)
2745(mm) / 3047(mm)




Right and Left Side Elevation surface

3231(mm) 4231(mm)




Front side Elevation surface

Wood Deck sizes



2710(mm) / 3010(mm)
3610(mm)

WOOD DECK Color variations:



Material of WOOD DECK

Surface material: Weather-proof PE

Core material: Wood meal 55% & PE 45%


Shutter Gate System in front of housing



You can combine with a carport to show your cars stylishly.



Shutter Panel Variations



**You can design your car life and open space. Easy and quick installation is possible.
Power coated steel material is strong against rain.**



We have a lot of functions and strong points.
Japanese products have been received a high evaluation internationally.

ARCIA



DR-3162JPB-2 設置イメージ
※FIX窓×2、裏透照明用シェード×2はオプション
※開閉時間は製品に含みません。




Sophisticated
Design



High speed
shutter



Remote control
operation



Prevent leaking of rain
And
Non-combustible
material



Useful door
(standard equipment)



Durable
powder coating



Ceiling Design
(option)



Interior Design
(option)



Useful window
(option)

You can connect like this as the number of your cars or your preference.



ARCIA

◆Material Body & Roof Powder coated steel plate

◆Wind pressure resistant 36 m/s

Options of ARCIA


Windows



Fixed Window



Panel for Ventilation



Rain gutter



Door



Panel for Ventilation Fan



■ OUTSIDE STORAGE / SHED

We would like to propose durable steel outside storage.

It's made of durable powder coated steel plate. You can stock your goods fitting your life style and hobbies fitting the housing environment.



High durability

Our storages are passing many rigorous tests in Japan
And will be against hot and heavy rain environment.

Door Test



自動機により2万回の開閉試験を行い開閉機能をチェック。

Leakage Test



15°傾斜させて屋根全面に毎分 5 ℓ / m²以上の水量を散水しての雨もりの有無のチェック。

Floor Load Test



床板に基準荷重をかけ、床板根太のたわみを測定。

Roof Load Test



積雪に対する安全性の確認試験。各部のたわみを測定。

Shelves Load Test



棚板に基準荷重をかけ、棚板と支持部のたわみを測定。

Impact Load Test



定められた距離から壁と扉にそれぞれ75kgの砂袋で衝撃を与え、各部をチェック。

Brine Spray and Rust Test



5 %の塩水を500時間噴霧しサビを認めないことの確認試験。

Weatherability Test



紫外線の照射と水の噴霧を一定時間交互に長時間繰り返し塗装面の劣化状態を調べます。

Strong Functions

Safety & Strongly Built Pillar : 3000N/m^2 (300kgf/m^2)




Lightweight and Quiet

For the upper roller system, an interlocking top-railed sliding door original with "TAKUBO" has few troubles under the influence of rain water or garbage, and they are excellent in durability.



Condensation reduction roof

At snow covering places or cold districts, occurrence of dew condensation at an attic can be decreased.



Dual-mode locking system & Emergency knob

The system features easy locking to allow for frequent use during daytime, and hard locking for theft prevention at nighttime. The door can be unlocked from inside if the provisional lock is accidentally activated when there is someone inside.




Open direction of the door

The door can change the direction assembly. Please choose user-friendly direction.



Regular Model Mr. Stock man



Color Variation



Water pipe and Gutter system prevents your trouble.




Body: Powder coated durable steel plate
Pillar: ZAM

Hanging door give you comfortable operation feeling.

It's very Smooth.



It prevents water and dust leaking to inside.



Dust and Water

We have another sizes.

Wide : 1316mm ~ 3232mm

Depth : 890mm ~ 2990mm

New Design Model LEISURE



Size Variation



YUASA TRADING (THAILAND) CO., LTD.

Hiroshi SAKURANO

2227hs@yuasa.co.jp

It must change housing environment to be more Comfortable.

Current Trash box for housing

Trash boxes are installed at each housing.
One trash box by one housing.

Unsanitary and Awful smell for Tenant
Taking much time for Trash Recovery Worker



outside



inside



Our solution proposal

Common Trash Box
for several housings
(for 5~10 houses)

- Sanitary
for Tenant
- Quick Recovery
for Trash Recovery Worker



Product Example



容量・機能で選べる 2 種・6 サイズ！




床は選べる 2 タイプ！

今までにない「引き出せる床」の耐荷重は2000N/m² (200kgf/m²)



底面換気で臭いを軽減し、コストパフォ (Mesh bed type: model number ends with M) 底面を引き出して、丸洗いでできるので清

カラー



画像と実物では色味が異なる場合があります。また、実物の

使いやすいハンドルとラッチ機能

清潔感のあるアルミ製のハンドルは、どの位置でも開けることができ、閉める時は自動的にラッチが掛かり強風により扉が開いてしまうことを防ぎます。



ラッチ機能

セキュリティ対策

不法投棄の防止、プライバシーの保護などにダイヤル錠が取り付けられます。ダイヤル錠はツール径6mm以下の市販品をご使用ください。



ダイヤル錠

便利なフック付き (DBN タイプのみ)

付属のフック2個で庫内や後面に色々なモノを引っ掛けられます。



スムーズな開閉

ガススプリングを使用しているので軽力でスムーズに開閉できます。




優れた換気機能

前方と後方に設けた換気口で空気を通し、嫌な臭いを軽減させます。



簡単組立＆がっちり固定

組立工具付で簡単に組立できます。また、アジャスターはアンカー固定に対応しています。オールアンカー(MQ)は、台風や地震などの転倒防止に必ずアンカー工事・転倒防止工事を行ってください。



ゴミが取り出しやすい工夫 (DCN タイプ専用機能)



奥のゴミが取り出しやすいように、傾斜床を採用しています。写真の傾斜床が見やすいように、前パネルを全て外しています。

オプション

交換用ガススプリングを用意しています。

DBN 用 HG-9000
DCN-149 用 HG-9001
DCN-189 用 HG-9002
¥9,300 (1本あたり)

本商品は消耗品です。全開した扉が自然に下がってきた場合、ガススプリングの寿命が尽きた可能性があります。安全上早めに交換してください。



YUASA TRADING (THAILAND) CO., LTD.

Hiroshi SAKURANO

2227hs@yuasa.co.jp


Product Example

タコボごみ集積庫 クリーンキーパー

ゴミ置場の景観保護、カラス・犬などの問題を解決します。


ごみ集積庫 (ZAM®※製)

意匠登録済



景観に溶け込み、建物と調和する
デザインのごみ集積庫。

落ち着いたツートンカラーに、編み込み風の前面パネル。
さらに、通気性・安全性・防犯性に優れ、扱いやすい構造。
柔らかな印象を与え、景観を意識したデザインのごみ集積庫。



落ち着いた感じのツートンカラーにおしゃれな
格子柄。景観を損ないません。

扱いやすさを考えたシンプルな特徴

バチン錠



フックにかけて「バチン」と
上げるだけで固定。
市販の南京錠やダイヤル錠
が使用できます。

上蓋



ガススプリング式のダンパーと
持ちやすいハンドルで、軽く開
閉ができます。

クリンネス



前面パネルと床は簡単に取
り外せます。清掃やメンテナ
ンスを、しやすくしています。

景観・通気性



格子柄はパンチング材を採用。側面にもパンチン
グ加工を施し、通気性を確保しています。

安心



本体と蓋の間には約20mmの隙
間があり、指が挟まりにくい設
計です。

オプション

該当機種	品名	品番	価格	入数
CK-B1005・B1305	ガススプリング	CK-BGS11	¥15,400(税抜き)	1本
CK-B1007・B1307	ガススプリング	CK-BGS10	¥15,400(税抜き)	1本

※ガススプリングは消耗部品です。

基本仕様

側面パネル(左右)・床枠・床パネル	ZAM®※に ポリエステル系樹脂塗装
前上枠・前パネル・背面パネル・後上枠・蓋	アルミニウムにアルマイト処理
ハンドル	ステンレス
バチン錠	ステンレス

※「ZAM」は、日本製鉄株式会社の登録商標です。
「ZAM」は、日本製鉄株式会社が開発した溶融亜鉛-アルミニウム
-マグネシウム合金めっき鋼板の商品名です。


奥行505mm 狭小スペースに置ける・小世帯向け



有効容積 約 400L ゴミ袋45L 約 9袋

CK-B1005 ¥109,000(税抜き)

組立費: ¥18,000(税抜き)
床面積: 0.51㎡



有効容積 約 525L ゴミ袋45L 約 12袋

CK-B1305 ¥126,000(税抜き)

組立費: ¥19,000(税抜き)
床面積: 0.66㎡




有効容積 約 650L ゴミ袋45L 約 14袋

CK-B1605 ¥147,000(税抜き)

組立費: ¥20,000(税抜き)
床面積: 0.81㎡


奥行750mm 少し大きめ、ゆとりのサイズ・中世帯向け



有効容積 約 650L ゴミ袋45L 約 14袋

CK-B1007 ¥125,000(税抜き)

組立費: ¥18,000(税抜き)
床面積: 0.75㎡



有効容積 約 850L ゴミ袋45L 約 19袋

CK-B1307 ¥144,000(税抜き)

組立費: ¥19,000(税抜き)
床面積: 0.98㎡



有効容積 約 1050L ゴミ袋45L 約 23袋

CK-B1607 ¥168,000(税抜き)

組立費: ¥20,000(税抜き)
床面積: 1.20㎡

アルミ製ごみ集積庫



写真はCK-A1206型です。

スタイリッシュなデザイン。
世帯数の少ない集合住宅に最適。

有効容積 約 425L ゴミ袋45L 約 9袋 床面積 0.54㎡

CK-A0906 ¥181,000(税抜き)

サイズ: W 900×D 600×H 1200mm 組立費: ¥18,000(税抜き)

有効容積 約 575L ゴミ袋45L 約 12袋 床面積 0.72㎡

CK-A1206 ¥193,000(税抜き)

サイズ: W 1200×D 600×H 1200mm 組立費: ¥19,000(税抜き)

有効容積 約 725L ゴミ袋45L 約 16袋 床面積 0.90㎡

CK-A1506 ¥207,000(税抜き)

サイズ: W 1500×D 600×H 1200mm 組立費: ¥20,000(税抜き)

オプション

該当機種	品名	品番	価格	入数
CK-A0906・A1206	ガススプリング	CK-AGS11	¥28,000(税抜き)	2本
CK-A1506	ガススプリング	CK-AGS10	¥28,000(税抜き)	2本

※ガススプリングは消耗部品です。

サビに強いステンレス製アジャスターと取手。
オールアンカー(4本)付。

小動物の侵入を防ぐ床形状。



YUASA TRADING (THAILAND) CO., LTD.

Hiroshi SAKURANO

2227hs@yuasa.co.jp

Product Example




Type: **DPLA-0906**

Capacity : 425 liters
Weight: 38.2kg
Material: Aluminum



Type: **DPLA-1206**

Capacity : 575 liters
Weight: 43.9kg
Material: Aluminum



Type: **DPUB-400**

Capacity : 400 liters
Weight: 40kg
Material: Aluminum



Type: **CKE-1005M**

Capacity : 400 liters
Weight: 33kg
Material: Hot dip galvanized steel
+ painting



Type: **CKE-1305M**

Capacity : 500 liters
Weight: 40kg
Material:
Hot dip galvanized steel
+ painting

Unit:mm

VARIOUS FUNCTIONS of CKE series for comfortable using

POINT
1

Gas Damper Door

This door is Closing slowly and safety for your hands.

POINT
2

There is a Gap for your finger safety.



You can use a Padlock on the market.

Please purchase a padlock by yourself.

POINT
3

You can clean the bottom panel easily.



POINT
4

Slide front Panel

You can open and close the front panel if there is no space in front of the box.



Slim Depth 520mm

MINI STORAGE BOX

It's for your main entrance or backside kitchen or garden more stylishly.
As it's not necessary to assemble so that you can use immediately.



Material: Aluminum

Surface: Laminating sheet or Electrolytic coloring

MINI STORAGE BOX

Fixing Door



Damper



Washable in water You can stock freely



Type: **GSHM1-0708 (W700)**

Capacity : 200 liters

Type: **GSHM1-0708 (W900)**


Capacity : 250 liters

Color Variation





Dimension (mm)

Wide 2 types (700 or 900)







Using this delivery boxes, If you are not your home,
you can receive parcels for delivery and not make it wet.

Material Body:
Powder coated Steel Galvanized Cold Commercial



This is Japanese using image.



Unit:mm

■ WALL PAINTING for Exterior or Interior decoration

Concrete wall should be changed more elegantly and freely.
It must change wealthy housing decoration.



Walking must be more enjoyable and comfortable on the Pavement design.



ローラー施工に加え、鍍塗り・吹付け施工に対応。



ローラー仕上げ



鍍塗り仕上げ



吹付け仕上げ

多彩な色展開で、カラーリングは自由自在。

立ち上がり面への施工もOK。

1mmの薄塗りでリフォームにも好適。



全75色の中から好みのカラーを自由に組み合わせて選ぶことができます。機能性に優れ、駐車場におすすめです。




住宅の巾木部や玄関アプローチの段差部分などへ施工できます。

【主な施工場所】


- 建物の基礎部
- 階段の立ち上がり面
- 塀の基礎部



厚さ1mmの薄塗りで、マンホールまわりなどの段差も気になりません。



EAF7 sword type



◆Height : ~ 2492mm

◆Color:

BK

SC

MR

◆Material

Body:Aluminium

Sword Tip:ASA Resin

◆Wind pressure resistant :
34 m/s





It protects your privacy and Security more stylishly and be able to fit various situation.



Door



Top Soad ✕option



◆Height : ~ 3600mm

◆Color:

BK

SC

MR

◆Material

Body:Aluminium

◆Wind pressure resistant :

34 m/s

Unit Line GT3



◆Height

1400mm ~ 3000mm

◆Wide :

3000mm(One Sided Door)
~ 20,000mm (Double Door)

◆Color



◆Material

Body:Aluminium

Rail: SUS

Sword Tip:ASA Resin

◆Wind pressure resistant

34 m/s

Top spikes: You can select.



Key



Stack Line

Japan is famous for Typhoon.

It's developed against Typhoon and the highest level of wind pressure resistant .



◆ Height

1200mm ~ 1800mm

◆ Wide

3000mm (One Sided Door)
~
24,000mm (Double Door)

◆ Color

BK

SC


◆ Material

Body: Aluminium
Rail: SUS

◆ Wind pressure resistant

46 m/s

Storage



Trap models




◆ Color




◆ Material Body: Aluminum

Other Models



Electric
type



Easy to open and close

Manual
type



Other models



You can open and close remotely.

◆ **Material**
Laminated Aluminum



We have non rail types.

■ BICYCLE STORAGE

You can organize your bicycles and bikes compactly and beautifully.

Cycle Lobby CY-SLD & SR-K

◆ **Height :** 2325mm

◆ **Wide :** 2700mm

◆ **Color:** Pastel Gray

◆ **Material**

Roof :

Galvalume steel plate

Pillar :

Durable Plated steel plate

Gutter :

Vinyl Chloride

Eaves Gutter :

Galvalume steel plate

◆ **Wind pressure resistant :**
34 m/s



TC-TGF



**You can organize more effectively fitting
your site situations.**

CF-B



How to use

1. Please hook the front wheel.



4. Please store.



1. Please hook the front wheel and release the rock.



2. Please push up.



5. It's completed.



2. Please push up. It will be pushed up easily.



3. Please inset the back wheel.



3. Please push up more.



4. Please inset the back wheel.




Proposal of Bicycle Parking structures for BUS STOP


This is the bicycle parking in Japan.
It must be utilized for a lot of purposes.
For example, BUS STOP




Material: Powder coated steel




Decorating by Aluminum louver will extend our expression. And it's Incombustible. Our wood grain laminate sheets have **Noncombustible Certification** by Minister of Land, Infrastructure, Transport and Tourism in JAPAN.



- ◆ Material : Aluminum(Core material)
- ◆ Surface : Laminating or Painting or Electrolytic Coloring



It's like wood but not made of wood !
And those have Noncombustible Certification.
We have various shapes and surface design
So that we will be able to propose in accordance with architecture plans.



Installation Example

Perfect WINDOW BLIND would change your home life more comfortably.



Living & Dining

木目柄のブラットで
ナチュラルな空間に。
木目柄のビジュアルカラーを選んで
木の温もりをプラス。
「ナチュラルウッドバランズ(オプション)」も
使い、統一感を持たせて。
パーフェクトシルキー
T-9726 ウッドバランズ
(オプション)ナチュラルウッドバランズ
WW-3224 (ウォールマウント)



カラフルなブラットを選んで、
インテリアのアクセントに。
好きな色のブラットを自由に組み合わせられる
「カラーコーディネート」。
あなただけのオリジナルブラインドが
お部屋を鮮やかに彩ります。

パーフェクトシルキー オリジナルカラーコーディネート
【L】スタンダードプラン ニュアンスNo.7306
【R】フリースラン

1台の製品を左右で使い分け。
出入りの多い窓に便利です。
「セパレート」の製品なら、1台のブラインドを左右別々に
上げ下げできます。
開口部の広い窓や出入りの多い窓におすすめ。
パーフェクトシルキー セパレート
T-2664 シャインビジュアルホワイトフロストブルー(低熱コート)



Bedroom

Light is not leaked so that you can sleep very well.




Operation at high place is easy by using chain.

チェーン操作。

チェーンを伸ばせば手の届かない
高窓も簡単に操作できます。
深みのある木目柄のブラットで、
木の温もりを感じる、こころ休まる空間に。



パーフェクトシルキー チェーン
T-9727 ウッドバランズ(ビジュアルカラー)



Perfect SILKY



《Perfect functions》

Shielding

Light and Sound are not leaked .

Operability

You can operate by using pole or chain
Or using remote controller.

Various colors

We have 297 Colors.

Fitting every spaces

Living room , Dining room, Bed room
And so

Water resistance

You can use at Bath room.

Heat Shielding and Energy Saving

Your air conditioner will work at less energy.

Accordion door for interior space can make your new space as you like.

LIVING & DINING

リビング・ダイニングを仕切ることでも冷暖房効率アップ。
軽い力で開けることができる「アシスト取手」も選べます。



BEDROOM



床面とのすき間を防ぐ
「すきまガード」(オプション)を
ご用意しています。



製品本体と床面とのすき間を
防ぎ、光漏れを軽減します。

WORKING SPACE



オフィスを仕切って
ミーティングルームや
休憩スペースを簡単に作れます。

プライバシーを守りたい場所には
安心の鍵付き(オプション)をご用意しています。
特定の人がかぎで施錠を行うことができる
「シリリダー錠」(オプション)はプライバシーを
守りたい場所へおすすめです。



アコーディオンカーテン No.6412 リド(クラウディベージュ) 製品色 シャンパンブラウン

部屋のコーナーを
仕切ること
新たな空間が作れます。

応接室や収納スペース、更衣室など
部屋の用途が広がります。



アコーディオンカーテン
No.6902 ベイシール(ライトグレー)
製品色 ソフトシルバー

Accordion door

Wide 200mm ~ 4000mm Height 500mm ~ 3000mm



1. Advantage of TACHIKAWA System

-1 For Large opening to Small opening

Suitable not only for the room partition of large opening but also the door of the small opening and the closet.

-2 Easy Installation

Can be installed easily with the handing rail.

-3 Assist Handle


Help users open the product easily.

1. Catch the handle lightly.

2. The blocks help users open the door with 50 % resistance..



2. Structure



3. Specification

Width	Two Way : 400 - 8000 mm One Way : 200 - 4000 mm
Height	500 - 3000mm
Stacking	Approx. 20 % of Product Width
Depth	Leather : Approx. 120 mm Assist Handle : 200 mm AC Handle : 130 mm

4. Color Option

	Ivory	Brown	Silver
Rail			
Assist Handle			
AC Handle			
Magnet Catcher			

5. Rail

H-Type Rail (C-Type)		Covered Rail	Suitable for rebuilding. *Rail is same as C-Type.	
C-Type Rail		Implanted Rail	Rail shall be invisible.	
I-Type Rail		For Curved Rail	Suitable for curved rail.	

Partition Place



◆Height

1700mm ~ 2400mm

◆Rail variations

Non rail / Flat rail

Buried rail / normal rail

◆Material

Flame: Laminated Aluminum

Panel: Synthetic wood

Window panel:
Polycarbonate panel

Rail: Aluminum

Panel variations



Window panel variations



Flame color variations



Panel color variations



RISE ROOF



The weight of Aluminium Shelter is lighter than Steel Shelter so that you can install quickly.
And the spans of pillars will be able to design more wider.
It will direct more stylishly.

◆Material

Body Aluminium
Roof Polycarbonate panel

◆Wind pressure resistant
38 m/s


◆Material

Body & Roof Aluminium

◆Wind pressure resistant
42 m/s

◆Variations of Roof materials

Polycarbonate panel




Aluminium composite panel



◆Double structure of Roof



Rain gutters are embedded inside. You can joint freely.



Other models






FUTURE OF PRODUCT

Original Soft and Durable materials



P PLUS Coating (プラスコーティング) You can use Inside and outside.



It has water resistance and no a joint on the surface.


Color variations

You can select color freely and order the other color you like.

BASIC COLORS

01 LEMON RAL1016	02 YELLOW RAL1003	03 MUSTARD RAL1005	04 ORANGE RAL2004	05 RED RAL3020	06 PINK RAL4010	07 VIOLET RAL4008	08 PURPLE RAL4005	09 LIGHT BLUE RAL5012
10 INDIGO RAL5007	11 BLUE RAL5002	12 NAVY RAL5000	13 MINT BLUE RAL6027	14 PISTACHIO DIC2107	15 LIGHT GREEN DIC170	16 GRASS GREEN RAL6025	17 DARK GREEN RAL6003	18 BEIGE RAL1019
19 PALE BROWN RAL8025	20 BROWN RAL8014	21 CAMEL RAL8001	22 MID GREY RAL7036	23 DARK GREY RAL7015	24 PEARL WHITE RAL1013	25 OFF WHITE RAL9010	26 WHITE RAL9016	27 BLACK RAL9005
28 AQUA DIC2574	29 SKY DIC2187	30 CANDY PINK DIC2467	31 ORANGE RED DIC156	32 LIME DIC642				

We can manufacture and deliver one unit.



YUASA TRADING (THAILAND) CO., LTD.

Hiroshi SAKURANO

2227hs@yuasa.co.jp

EXAMPLE OF PRODUCT SERIES

soft wall

Design : Pieter Jamart , etc

DIMENSIONS

		S	M	L
Size	W	450	600	900
	H	450	600	900
	D	43	43	43
	SH			

MATERIAL

本体 : ポリウレタンフォーム
表面 : sixinch コーティング

SPECIAL NOTES



記載以外のサイズも特注にて対応可能です。
施工方法はお問い合わせください。

NOTICE




COLORS


カラーチャート (P06) よりお選び下さい。




studs




diamond




robblocks



invader



chocolate




button




punching





profile



valley



spike



linea



cella



EXAMPLE OF PRODUCT SERIES



Wani
Design : Teko Design

DIMENSIONS			
Size	W	D	H
Min	520	440	450
Max	800	300	380
SH	340	420	490

MATERIAL: 本体 : ポリウレタンフォーム
表面 : 特殊コーティング
SPECIAL NOTES: 座面にアーチ型キック付属・キックスター付属も対応可能（座面にキックが入ります。）
NOTICE: ☀️ ☺️ 🚫
COLORS: カラーチャート (P96) よりお選び下さい。



Risu
Design : Teko Design

DIMENSIONS			
Size	W	D	H
Min	400	280	430
Max	400	280	430

MATERIAL: 本体 : ポリウレタンフォーム
表面 : 特殊コーティング
SPECIAL NOTES: 座面にアーチ型キック付属
NOTICE: ☀️ ☺️ 🚫
COLORS: カラーチャート (P96) よりお選び下さい。



Panda
Design : Teko Design

DIMENSIONS			
Size	W	D	H
Min	520	440	450
Max	800	300	380
SH	340	420	490

MATERIAL: 本体 : ポリウレタンフォーム
表面 : 特殊コーティング
SPECIAL NOTES: 座面にアーチ型キック付属・キックスター付属も対応可能（座面にキックが入ります。）
NOTICE: ☀️ ☺️ 🚫
COLORS: カラーチャート (P96) よりお選び下さい。



Dogs
Design : Shin Fujita

DIMENSIONS			
Size	W	D	H
Min	678	300	410
Max	678	300	410

MATERIAL: 本体 : ポリウレタンフォーム
表面 : 特殊コーティング
SPECIAL NOTES: 座面にアーチ型キック付属
NOTICE: ☀️ ☺️ 🚫
COLORS: カラーチャート (P96) よりお選び下さい。



Zousan
Design : Teko Design

DIMENSIONS			
Size	W	D	H
Min	400	400	150
Max	340	150	400
SH	400	270	400

MATERIAL: 本体 : ポリウレタンフォーム
表面 : 特殊コーティング
SPECIAL NOTES: 座面にアーチ型キック付属・キックスター付属も対応可能（座面にキックが入ります。）
NOTICE: ☀️ ☺️ 🚫
COLORS: カラーチャート (P96) よりお選び下さい。



Dogs (plastic)
Design : Shin Fujita

DIMENSIONS			
Size	W	D	H
Min	678	300	410
Max	678	300	410

MATERIAL: 本体 : 発泡成形プラスチック
SPECIAL NOTES: 座面にアーチ型キック付属
NOTICE: ☀️ ☺️ 🚫
COLORS: カラーチャート (P96) よりお選び下さい。



A
Design : Pieter Jomart

DIMENSIONS			
Size	W	D	H
Min	1400	1400	380
Max	1400	1400	380

MATERIAL: 本体 : ポリウレタンフォーム
表面 : 特殊コーティング
SPECIAL NOTES: 座面にアーチ型キック付属
NOTICE: ☀️ ☺️ 🚫
COLORS: カラーチャート (P96) よりお選び下さい。



Plafon
Design : Teko Design

DIMENSIONS			
Size	W	D	H
Min	400	400	400
Max	400	400	400


MATERIAL: 本体 : ポリウレタンフォーム
表面 : 特殊コーティング
SPECIAL NOTES: 座面にアーチ型キック付属
NOTICE: ☀️ ☺️ 🚫
COLORS: カラーチャート (P96) よりお選び下さい。



Male - Female
Design : Pieter Jomart

DIMENSIONS			
Size	W	D	H
Min	770	770	1730
Max	330	330	530

MATERIAL: 本体 : ポリウレタンフォーム
表面 : 特殊コーティング
SPECIAL NOTES: 座面にアーチ型キック付属
NOTICE: ☀️ ☺️ 🚫
COLORS: カラーチャート (P96) よりお選び下さい。



Wave
Design : slinch Design

DIMENSIONS			
Size	W	D	H
Min	400	400	430
Max	400	400	430

MATERIAL: 本体 : ポリウレタンフォーム
表面 : 特殊コーティング
SPECIAL NOTES: 座面にアーチ型キック付属
NOTICE: ☀️ ☺️ 🚫
COLORS: カラーチャート (P96) よりお選び下さい。



Arrows
Design : Pieter Jomart / Jan De Cuiper

DIMENSIONS			
Size	W	D	H
Min	580	580	450
Max	430	450	450
SH	1340	1340	900

MATERIAL: 本体 : ポリウレタンフォーム
表面 : 特殊コーティング
SPECIAL NOTES: 座面にアーチ型キック付属
NOTICE: ☀️ ☺️ 🚫
COLORS: カラーチャート (P96) よりお選び下さい。



Cella bench
Design : slinch Design

DIMENSIONS			
Size	W	D	H
Min	910	735	400
Max	910	735	400

MATERIAL: 本体 : ポリウレタンフォーム
表面 : 特殊コーティング
SPECIAL NOTES: 座面にアーチ型キック付属
NOTICE: ☀️ ☺️ 🚫
COLORS: カラーチャート (P96) よりお選び下さい。



D : Pouf

E : 1000

F : 360

Cliffy

Design : Rainer Mutsch



A : 2000



B : 4000



C : 6000



D : Pouf



E : 1000



F : 360



EXAMPLE OF PRODUCT SERIES



Louis II armchair

Design : Pieter Jamar

DIMENSIONS

Size	W	950
	D	830
	H	1120
	SH	520

MATERIAL

本体：木製フレーム/布張りウレタンフォーム
表面：sixinch コーティング

SPECIAL NOTES

※輸入品のため納期はお問い合わせ下さい。

NOTICE



COLORS

カラーチャート (P06) よりお選び下さい。



Louis IIB loveseat

Design : Pieter Jamar

DIMENSIONS

Size	W	1400
	D	830
	H	1200
	SH	520

MATERIAL

本体：木製フレーム/布張りウレタンフォーム
表面：sixinch コーティング

SPECIAL NOTES

※輸入品のため納期はお問い合わせ下さい。

NOTICE



COLORS

カラーチャート (P06) よりお選び下さい。



Louis III sofa

Design : Pieter Jamar

DIMENSIONS

Size	W	2150
	D	830
	H	1230
	SH	520

MATERIAL

本体：木製フレーム/布張りウレタンフォーム
表面：sixinch コーティング

SPECIAL NOTES

※輸入品のため納期はお問い合わせ下さい。

NOTICE



COLORS

カラーチャート (P06) よりお選び下さい。



YUASA TRADING (THAILAND) CO., LTD.

Hiroshi SAKURANO

2227hs@yuasa.co.jp

■ WATER DISASTER PREVENTION

Water Disasters are increasing globally.
It's essential to protect our life and property.

We have various products which
are more efficient than sandbags
to prevent water disasters .




Easy Panel type



Sheet type



Panel type



Contact

Those displayed products are small parts of our dealing products.
If you have any questions and requests,
Please feel free to e-mail your inquiry to the following address.
We are looking for new business partners in Thailand.

Hiroshi SAKURANO (Mr.)

E-mail: 2227hs@yuasa.co.jp

PIYAWAT PIBOOLSRAVUT(Mr.)

E-mail: piyawat@yuasa.co.th



YUASA TRADING(THAILAND) CO.,LTD.

33/71-72,33/76 WALL STREET TOWER BUILDING
15TH FLOOR,SURAWONGSE ROAD,SURIYAWONGSE
BANGRAK,BANGKOK 10500 THAILAND